



1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: QS 212 B
Product Name: Quik-Shield 212 B
Company Name: SWD URETHANE
539 S. Drew St.
Mesa, AZ 85210,
Web site address: www.swdurethane.com
Emergency Contact: CHEMTREC
(800) 424-9300

2. HAZARDS IDENTIFICATION

Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 5
Skin Corrosion/Irritation, Category 3
Serious Eye Damage/Eye Irritation, Category 2B
Aquatic Toxicity (Acute), Category 3
Acute Toxicity: Inhalation, Category 4



GHS Signal Word: **Warning**

GHS Hazard Phrases: H302 - Harmful if swallowed.
H313 - May be harmful in contact with skin.
H320 - Causes eye irritation.
H332 - Harmful if inhaled.
H402 - Harmful to aquatic life.

GHS Precaution Phrases: P233 - Keep container tightly closed.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
P332+313 - If skin irritation occurs, get medical advice/attention.
P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases: P403+235 - Store in cool/well-ventilated place.



**Potential Health Effects
(Acute and Chronic):**

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation. May cause narcotic effects in high concentration. Eye irritation, vertigo, and nausea were reported in humans exposed at 2200 ppm.

Skin Contact: May be harmful if absorbed through the skin. Causes skin irritation. May cause dermatitis.

Eye Contact: Causes eye irritation.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause central nervous system depression.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
13674-84-5	2-Propanol, 1-Chloro-, phosphate (3:1)	5.0 -15.0 %
460-73-1	1,1,1,3,3-Pentafluoropropane {HFC-245fa}	5.0 -15.0 %
77098-07-8	1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene	<=5.0 %
33329-35-0	N,N-Bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine	<=5.0 %
156-60-5	Trans-1,2-Dichloroethylene {1,2-trans-Dichloroethylene; Ethene, 1,2-dichloro-, (E)-}	<=5.0 %

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

In Case of Inhalation: If breathed in, move person into fresh air. If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical aid.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician. In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. If swallowed, do not induce vomiting unless directed to do so by medical personnel. Get medical aid.

Signs and Symptoms Of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Treat symptomatically and supportively.



5. FIRE FIGHTING MEASURES

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. Fire or excessive heat may result in violent rupture of the container due to bulk polymerization. Vapors are heavier than air and may travel to a source of ignition and flash back. Vapors can spread along the ground and collect in low or confined areas.

Flammable Properties and Hazards: No data available.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Personal precautions.
Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.
Environmental precautions.
Do not let product enter drains.

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Use a spark-proof tool.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Avoid inhalation of vapor or mist.
Normal measures for preventive fire protection. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Avoid ingestion and inhalation. Use only with adequate ventilation.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
13674-84-5	2-Propanol, 1-Chloro-, phosphate (3:1)	No data.	No data.	No data.
460-73-1	1,1,1,3,3-Pentafluoropropane {HFC-245fa}	No data.	No data.	No data.
77098-07-8	1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylen	No data.	No data.	No data.
33329-35-0	N,N-Bis[3-(dimethylamino)propyl]-N',N'- dimethylpropane-1,3-diamine	No data.	No data.	No data.
156-60-5	Trans-1,2-Dichloroethylene {1,2-trans-Dichloroethylene; Ethene, 1,2-dichloro-, (E)-}	No data.	TLV: 200 ppm	No data.



SAFETY DATA SHEET

Quik-Shield 212 B

Respiratory Equipment (Specify Type):	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.
Eye Protection:	Face shield and safety glasses. Wear chemical splash goggles.
Protective Gloves:	Handle with gloves. Wear appropriate protective gloves to prevent skin exposure.
Other Protective Clothing:	Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	<input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid	
Appearance and Odor:	amber. Musty.	
Melting Point:	No data.	
Boiling Point:	No data.	
Flash Pt:	No data.	
Evaporation Rate:	No data.	
Flammability (solid, gas):	No data available.	
Explosive Limits:	LEL: No data.	UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.	
Vapor Density (vs. Air = 1):	No data.	
Specific Gravity (Water = 1):	No data.	
Solubility in Water:	No data.	
Percent Volatile:	No data.	
Autoignition Pt:	No data.	

10. STABILITY AND REACTIVITY

Stability:	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>
Conditions To Avoid - Instability:	No data available.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, Strong bases, Copper.
Hazardous Decomposition or Byproducts:	formed under fire conditions. Carbon oxides, Phosphorous oxides, Hydrogen chloride gas, Thermal decomposition 244 °C Hydrogen chloride, phosgene, Carbon monoxide.
Possibility of Hazardous Reactions:	Will occur <input type="checkbox"/> Will not occur <input checked="" type="checkbox"/>
Conditions To Avoid - Hazardous Reactions:	No data available.



11. TOXICOLOGICAL INFORMATION

Toxicological Information:

Epidemiology: No data available.
Teratogenicity: No data available.
Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies:
CAS# 13674-84-5:
Acute toxicity, LD50, Oral, Rat, 3600. MG/KG.
Results:
Behavioral: Somnolence (general depressed activity).
Behavioral: Tremor.
Lungs, Thorax, or Respiration: Other changes.
- National Technical Information Service, Vol/p/yr: OTS05, 7713

Acute toxicity, LD50, Intravenous, Mouse, 56.00 MG/KG.
Results:
Behavioral: Food intake (animal).
Nutritional and Gross Metabolic: Weight loss or decreased weight gain.
- U.S. Army Armament Research & Development Command, Chemical Systems Laboratory, NIOSH Exchange Chemicals., Aberdeen Proving Ground., Aberdeen Proving Ground, MD 21010, Vol/p/yr: NX#, 5768

Skin corrosion/irritation, Skin sensitization, Skin, Rabbit, 0.000 , Mild.
Results:
Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation.
Behavioral: Tremor.
Lungs, Thorax, or Respiration: Cyanosis.

CAS# 156-60-5:
Reproductive Effects:, TClO, Inhalation, Rat, 6000. PPM, 6 H, female 7-16 day(s) after conception.
Results:
Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).
- Fundamental and Applied Toxicology., Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 20,225, 1993

Reproductive Effects:, TClO, Inhalation, Rat, 12000. PPM, 6 H, female 7-16 day(s) after conception.
Results:
Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).
Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).
- Fundamental and Applied Toxicology., Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 20,225, 1993

Mutagenicity:, Mutation test: Mutation in microorganisms., 50.00 UG/PLAT, Bacteria - Salmonella typhimurium.,
Results:
Behavioral: Sleep.
Behavioral: Hallucinations, distorted perceptions.
- Toxicological and Environmental Chemistry., Gordon & Breach Science Pub. Inc., New York, NY, Vol/p/yr: 15,101, 1987



Mutagenicity:, Gene conversion and mitotic recombination., 80.00 MMOL/L,
Saccharomyces cerevisiae.

Results:

Behavioral: Coma.

Lungs, Thorax, or Respiration:Dyspnea.

Nutritional and Gross Metabolic:Changes in:Metabolic acidosis.

- Teratogenesis, Carcinogenesis, and Mutagenesis., Alan R. Liss, Inc., 41 E. 11th St.,
New York, NY 10003, Vol/p/yr: 4,365, 1984

Mutagenicity:, Mutation test: DNA damage., 22.00 MMOL/L, Saccharomyces cerevisiae.

Results:

Behavioral: Coma.

Vascular: BP lowering not characterized in autonomic section.

Nutritional and Gross Metabolic:Changes in:Metabolic acidosis.

- Mutation Research., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam
Netherlands, Vol/p/yr: 206,209, 1988

Mutagenicity:, Sex chromosome loss and nondisjunction, 51500. UMOL/L,
Saccharomyces cerevisiae.

Results:

Gastrointestinal:Nausea or vomiting.

- Mutation Research., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam
Netherlands, Vol/p/yr: 206,209, 1988

Mutagenicity:, Sex chromosome loss and nondisjunction, Species: Hamster, 6500.
UMOL/L, Cell Type: lung..

Results:

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other
changes.

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other.

Lungs, Thorax, or Respiration:Other changes.

- Mutation Research., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam
Netherlands, Vol/p/yr: 182,135, 1987

Other Studies:, TDLo, Oral, Rat, 113.0 GM/KG, 90 D.

Results:

Kidney, Ureter, Bladder: Changes in bladder weight.

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY,
Vol/p/yr: 6(4),471, 1987

Other Studies:, TCLo, Inhalation, Rat, 200.0 PPM, 8 W.

Results:

Lungs, Thorax, or Respiration:Other changes.

Liver: Other changes.

Endocrine: Changes in endocrine weight (unspecified).

- Toxicology., Elsevier Scientific Pub. Ireland, Ltd., POB 85, Limerick Ireland, Vol/p/yr:
7(2),141, 1977

Acute toxicity, TCLo, Inhalation, Human, 4800. MG/M3, 10 M.

Results:

Behavioral: Sleep.

Behavioral: Hallucinations, distorted perceptions.



SAFETY DATA SHEET

Quik-Shield 212 B

Page: 7 of 11
Printed: 05/01/2015
Revision: 05/01/2015

- Archiv fuer Hygiene und Bakteriologie., For publisher information, see ZHPMAT, Munich Fed. Rep. Ger., Vol/p/yr: 116,131, 1936

Acute toxicity, LD50, Oral, Rat, 1235. MG/KG.

Results:

Cardiac:Other changes.

Lungs, Thorax, or Respiration:Other changes.

Liver: Fatty liver degeneration.

- Toxicology., Elsevier Scientific Pub. Ireland, Ltd., POB 85, Limerick Ireland, Vol/p/yr: 7,141, 1977

Acute toxicity, LD50, Intraperitoneal, Rat, 7411. MG/KG.

Results:

Cardiac:Other changes.

Lungs, Thorax, or Respiration:Other changes.

Liver: Fatty liver degeneration.

- Toxicology., Elsevier Scientific Pub. Ireland, Ltd., POB 85, Limerick Ireland, Vol/p/yr: 7,141, 1977

Acute toxicity, LD50, Oral, Mouse, 2122. MG/KG.

Results:

Behavioral: Altered sleep time (including change in righting reflex).

Behavioral: Somnolence (general depressed activity).

Behavioral: Ataxia.

- Drug and Chemical Toxicology., Marcel Dekker, 270 Madison Ave., New York, NY 10016, Vol/p/yr: 8,373, 1985

Acute toxicity, LCLO, Inhalation, Mouse, 75.00 GM/M3, 2 H.

Results:

Behavioral: General anesthetic.

Behavioral: Convulsions or effect on seizure threshold.

Lungs, Thorax, or Respiration:Dyspnea.

- Archiv fuer Hygiene und Bakteriologie., For publisher information, see ZHPMAT, Munich Fed. Rep. Ger., Vol/p/yr: 116,131, 1936

Acute toxicity, LD50, Intraperitoneal, Mouse, 3952. MG/KG.

Results:

Behavioral: General anesthetic.

Behavioral: Convulsions or effect on seizure threshold.

Gastrointestinal:Nausea or vomiting.

- Toxicology., Elsevier Scientific Pub. Ireland, Ltd., POB 85, Limerick Ireland, Vol/p/yr: 7,141, 1977

Acute toxicity, LCLO, Inhalation, Species: Cat, 43.00 GM/M3, 6 H.

Results:

Behavioral: General anesthetic.

Behavioral: Convulsions or effect on seizure threshold.

Gastrointestinal:Nausea or vomiting.

- Archiv fuer Hygiene und Bakteriologie., For publisher information, see ZHPMAT, Munich Fed. Rep. Ger., Vol/p/yr: 116,131, 1936

Acute toxicity, LD50, Skin, Species: Rabbit, > 5.000 GM/KG.

Results:



SAFETY DATA SHEET

Quik-Shield 212 B

Skin and Appendages: Skin: After systemic exposure: Dermatitis, irritative.
Nutritional and Gross Metabolic: Weight loss or decreased weight gain.
- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,10, 1990

Standard Draize Test, Skin, Species: Rabbit, 500.0 MG, 24 H.

Results:

Effects on Newborn: Growth statistics (e.g., reduced weight gain).

- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,11, 1990

Standard Draize Test, Eyes, Species: Rabbit, 10.00 MG.

Results:

Behavioral: Sleep.

Behavioral: Hallucinations, distorted perceptions.

- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,11, 1990

Irritation or Corrosion:

Skin - rabbit - Mild skin irritation - 24 h.

Serious eye damage/eye irritation:

Eyes - rabbit - Mild eye irritation.

Carcinogenicity/Other Information:

Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 156-60-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
13674-84-5	2-Propanol, 1-Chloro-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.
460-73-1	1,1,1,3,3-Pentafluoropropane {HFC-245fa}	n.a.	n.a.	n.a.	n.a.
77098-07-8	1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene	n.a.	n.a.	n.a.	n.a.
33329-35-0	N,N-Bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine	n.a.	n.a.	n.a.	n.a.
156-60-5	Trans-1,2-Dichloroethylene {1,2-trans-Dichloroethylene; Ethene, 1,2-dichloro-, (E)-}	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

No data available.

Persistence and Degradability:

No data available.

Bioaccumulative Potential:

No data available.

Mobility in Soil:

No data available.



13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Product.
Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

GHS Classification: Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed
Acute Toxicity: Skin, Category 5 - Warning! May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3 - Warning! Causes mild skin irritation
Serious Eye Damage/Eye Irritation, Category 2B - Warning! Causes eye irritation
Aquatic Toxicity (Acute), Category 3 - Harmful to aquatic life
Acute Toxicity: Inhalation, Category 4 - Warning! Harmful if inhaled

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.
DOT Hazard Class:
UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.
UN Number:
Hazard Class: **TDG Classification:**

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
13674-84-5	2-Propanol, 1-Chloro-, phosphate (3:1)	No	No	No
460-73-1	1,1,1,3,3-Pentafluoropropane {HFC-245fa}	No	No	No
77098-07-8	1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylen	No	No	No
33329-35-0	N,N-Bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine	No	No	No
156-60-5	Trans-1,2-Dichloroethylene {1,2-trans-Dichloroethylene; Ethene, 1,2-dichloro-, (E)-}	No	Yes 1000 LB	No

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists

13674-84-5	2-Propanol, 1-Chloro-, phosphate (3:1)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8D TERM; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
460-73-1	1,1,1,3,3-Pentafluoropropane {HFC-245fa}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No



SAFETY DATA SHEET

Quik-Shield 212 B

77098-07-8	1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylen	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
33329-35-0	N,N-Bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
156-60-5	Trans-1,2-Dichloroethylene {1,2-trans-Dichloroethylene; Ethene, 1,2-dichloro-, (E)-}	CAA HAP,ODC: No; CWA NPDES: Yes; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: No; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: No; WI Air: No
CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
13674-84-5	2-Propanol, 1-Chloro-, phosphate (3:1)	Canadian DSL: Yes; Canadian NDSL: No
460-73-1	1,1,1,3,3-Pentafluoropropane {HFC-245fa}	Canadian DSL: Yes; Canadian NDSL: No
77098-07-8	1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylen	Canadian DSL: Yes; Canadian NDSL: No
33329-35-0	N,N-Bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine	Canadian DSL: Yes; Canadian NDSL: No
156-60-5	Trans-1,2-Dichloroethylene {1,2-trans-Dichloroethylene; Ethene, 1,2-dichloro-, (E)-}	Canadian DSL: Yes; Canadian NDSL: No

16. OTHER INFORMATION

Revision Date: 05/01/2015

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose.

The product may present hazards and should be used with caution. While certain hazards are described in this Safety Data Sheet, no guarantee is made that these are the only hazards that exist. Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE SHALL PROVIDE, OR MAKE AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTED TO SWD AT 800-828-1394.