



1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: QS 932 A
Product Name: Quik Shield 932 A
Company Name: SWD URETHANE
539 S. Drew St.
Mesa, AZ 85210,
Web site address: www.swdurethane.com
Emergency Contact: CHEMTREC
(800) 424-9300

2. HAZARDS IDENTIFICATION

Acute Toxicity: Oral, Category 5
Skin Corrosion/Irritation, Category 2
Skin Sensitization, Category 1
Serious Eye Damage/Eye Irritation, Category 2A
Acute Toxicity: Inhalation, Category 4
Respiratory Sensitization, Category 1
Carcinogenicity, Category 2
Aquatic Toxicity (Acute), Category 2



GHS Signal Word: **Danger**

GHS Hazard Phrases: H303 - May be harmful if swallowed.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H332 - Harmful if inhaled.
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351 - Suspected of causing cancer .
H401 - Toxic to aquatic life.

GHS Precaution Phrases: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P284 - Wear respiratory protection .
P285 - In case of inadequate ventilation wear respiratory protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P341 - If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+313 - IF exposed or concerned: Get medical attention/advice.
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.



SAFETY DATA SHEET

Quik Shield 932 A

	<p>P321 - Specific treatment see ... on this label. P332+313 - If skin irritation occurs, get medical advice/attention. P333+313 - If skin irritation or rash occurs, seek medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P342+311 - If experiencing respiratory symptoms call a POISON CENTER or doctor/physician. P362 - Take off contaminated clothing and wash before re-use. P363 - Wash contaminated clothing before reuse. P405 - Store locked up.</p>
GHS Storage and Disposal Phrases:	
Potential Health Effects (Acute and Chronic):	Repeated or prolonged exposure may cause allergic reactions in sensitive individuals.
Inhalation:	<p>Tissue injury in the upper respiratory tract and lungs has been observed in laboratory animals after repeated excessive exposures to MDI/polymeric MDI aerosols.</p> <p>May be fatal if inhaled. Causes respiratory tract irritation. May be fatal if inhaled. May cause asthmatic attacks due to allergic sensitization of the respiratory tract. Impaired lung functions (decreased ventilatory capacity) has been associated with overexposure to isocyanate. MDI has a very low vapor pressure. Therefore, airborne exposures are unlikely to occur unless MDI is heated or forms an aerosol or mist during pouring, frothing or spraying operations. High aerosol concentrations could cause inflammation of the lung tissue (chemical pneumonitis), chemical bronchitis with severe asthma-like wheezing, severe coughing spasms and accumulation of fluid in the lungs (pulmonary edema), which could prove fatal.</p>
Skin Contact:	May be harmful if absorbed through the skin. Causes skin irritation. Causes skin irritation. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material. A single prolonged skin exposure is not likely to result in the material being absorbed in harmful amounts. Isocyanates, in general, can cause skin discoloration (staining) and hardening of the skin after repeated exposures.
Eye Contact:	Causes eye irritation. Lachrymator (substance which increases the flow of tears).
Ingestion:	May be harmful if swallowed. May cause irritation of the digestive tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
53862-89-8	Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alpha.-hydro-.omega.-hydroxypoly[ox	60.0 -100.0 %
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	30.0 -60.0 %
5873-54-1	Benzene, 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]- {o-(p-Isocyanatobenzyl)phenyl isocyanate}	13.0 -30.0 %
9016-87-9	Polymeric diphenylmethane diisocyanate {Isocyanic acid, Poly	1.0 -3.0 %



4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical aid.

In Case of Skin Contact: Wash off with soap and plenty of water. Remove contaminated clothing and shoes. Get medical aid if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical aid.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. If swallowed, do not induce vomiting unless directed to do so by medical personnel. Get medical aid.

Signs and Symptoms Of Exposure: Cough, Shortness of breath, Headache. Nausea. Vomiting, Pulmonary edema. Effects may be delayed.

Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Flash Pt: > 110.00 C Method Used: Setaflash Open Cup

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Water or water-based foam, if used in very large quantities, may be effective for fighting fires involving methylene bisphenyl isocyanate (MDI). However, care must be taken since the reaction between water or water-based foam and hot MDI can be vigorous.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. Containers can build up pressure if exposed to heat and/or fire. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Approach fire from upwind to avoid hazardous vapors and toxic decomposition products.

Flammable Properties and Hazards: No data available.

No data available.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Personal precautions.

Material Is Released Or Spilled: Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

Environmental precautions.
Do not let product enter drains.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal. Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Evacuate unnecessary personnel.



7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use only with adequate ventilation.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place. Recommended storage temperature: 2 - 8 deg.C. Store under inert gas. Moisture sensitive. Store in a cool, dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
53862-89-8	Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alpha.-hydro-.omega.-hydroxypoly[ox	No data.	No data.	No data.
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	CEIL: 0.02 ppm	TLV: 0.005 ppm	No data.
5873-54-1	Benzene, 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]- {o-(p-Isocyanatobenzyl)phenyl isocyanate}	No data.	No data.	No data.
9016-87-9	Polymeric diphenylmethane diisocyanate {Isocyanic acid, Poly	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye Protection: Face shield and safety glasses.

Protective Gloves: Handle with gloves. Wear appropriate gloves to prevent skin exposure.

Other Protective Clothing: Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	amber. Musty.
Melting Point:	No data.
Boiling Point:	No data.
Flash Pt:	> 110.00 C Method Used: Setafash Open Cup
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Specific Gravity (Water = 1):	No data.
Solubility in Water:	No data.
Percent Volatile:	No data.
Autoignition Pt:	No data.

10. STABILITY AND REACTIVITY

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	No data available. High temperatures, dust generation, Moisture, At room temperature, MDI reacts slowly with water forming carbon dioxide and inert material comprised of non-toxic polyureas which could rupture closed containers.
Incompatibility - Materials To Avoid:	Water. Amines, Strong bases, Alcohols, Strong oxidizing agents, Strong acids.
Hazardous Decomposition or Byproducts:	formed under fire conditions. Carbon oxides, nitrogen oxides (NOx), Hydrogen cyanide, Nitrogen oxides, Carbon monoxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	Product may undergo hazardous polymerization at elevated temperatures.



11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No data available.
Teratogenicity: In laboratory animals, MDI/polymeric MDI did not produce birth defects.

Irritation or Corrosion: Serious eye damage/eye irritation:
Eyes - rabbit - Moderate eye irritation.

Carcinogenicity/Other Information: Carcinogenicity.
This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies.
IARC: Group 3: Not classifiable as to its carcinogenicity to humans 3.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 101-68-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65.
CAS# 5873-54-1: Not listed by ACGIH, IARC, NTP, or CA Prop 65.
CAS# 128-37-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
53862-89-8	Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alpha.-hydro-.omega.-hydroxypoly[ox	n.a.	n.a.	n.a.	n.a.
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	n.a.	3	n.a.	n.a.
5873-54-1	Benzene, 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]-{o-(p-Isocyanatobenzyl)phenyl isocyanate}	n.a.	n.a.	n.a.	n.a.
9016-87-9	Polymeric diphenylmethane diisocyanate {Isocyanic acid, Poly	n.a.	3	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information: Environmental: Aquatic: Rapidly hydrolyzes to form an insoluble crust. Terrestrial: Will bind with moist soil and no leaching will occur. Atmospheric: Remains in the vapor phase and is degraded by photochemically produced hydroxyl radicals. Half-life = 32 hours. Will not biodegrade or bioconcentrate.
Physical: No information available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.



13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Product.
Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.


Contaminated packaging.
Dispose of as unused product. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

14. TRANSPORT INFORMATION

GHS Classification: Acute Toxicity: Oral, Category 5 - Warning! May be harmful if swallowed
Skin Corrosion/Irritation, Category 2 - Warning! Causes skin irritation
Skin Sensitization, Category 1 - Warning! May cause an allergic skin reaction
Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation
Acute Toxicity: Inhalation, Category 4 - Warning! Harmful if inhaled
Respiratory Sensitization, Category 1 - Danger! May cause allergy or asthma symptoms or breathing difficulties if inhaled
Carcinogenicity, Category 2 - Warning! Suspected of causing cancer
Aquatic Toxicity (Acute), Category 2 - Toxic to aquatic life

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Other regulated substances, Liquid, N.O.S. (Methylene Diphenyl Diisocyanate)
DOT Hazard Class: 9 CLASS 9
UN/NA Number: NA3082 **Packing Group:** III



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.
UN Number: 3082 **Packing Group:** III
Hazard Class: 9 - CLASS 9 **TDG Classification:**

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
53862-89-8	Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alpha.-hydro-.omega.-hydroxypoly[ox	No	No	No
101-68-8	Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI;	No	Yes 5000 LB	Yes-Cat. N120



SAFETY DATA SHEET

Quik Shield 932 A

5873-54-1	Diphenylmethane-4,4'-diisocyanate}	Benzene, 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]- {o-(p-Isocyanatobenzyl)phenyl isocyanate}	No	No	Yes-Cat. N106
9016-87-9		Polymeric diphenylmethane diisocyanate {Isocyanic acid, Poly	No	No	Yes-Cat. N120
CAS #	Hazardous Components (Chemical Name)		Other US EPA or State Lists		
53862-89-8		Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alpha.-hydro-.omega.-hydroxypoly[ox	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No		
101-68-8		Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 8C; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes; NJ EHS: Yes - 1253; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: Yes; WI Air: Yes		
5873-54-1		Benzene, 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]- {o-(p-Isocyanatobenzyl)phenyl isocyanate}	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 8C, 8D TERM; CA PROP.65: No; CA TAC, Title 8: TAC; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: No; SC TAP: Yes - Cat.; WI Air: No		
9016-87-9		Polymeric diphenylmethane diisocyanate {Isocyanic acid, Poly	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8C, 8D TERM; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 4140; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No		
CAS #	Hazardous Components (Chemical Name)		International Regulatory Lists		
53862-89-8		Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alpha.-hydro-.omega.-hydroxypoly[ox	Canadian DSL: Yes; Canadian NDSL: No		
101-68-8		Methylenebis(phenylisocyanate) {MBI; Methylene diphenyl diisocyanate; MDI; Diphenylmethane-4,4'-diisocyanate}	Canadian DSL: Yes; Canadian NDSL: No		
5873-54-1		Benzene, 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]- {o-(p-Isocyanatobenzyl)phenyl isocyanate}	Canadian DSL: Yes; Canadian NDSL: No		
9016-87-9		Polymeric diphenylmethane diisocyanate {Isocyanic acid, Poly	Canadian DSL: Yes; Canadian NDSL: No		


16. OTHER INFORMATION

Revision Date: 05/19/2015

Hazard Rating System:

HEALTH	2
FLAMMABILITY	1
PHYSICAL	1
PPE	

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of



SAFETY DATA SHEET

Quik Shield 932 A

the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose.

The product may present hazards and should be used with caution. While certain hazards are described in this Safety Data Sheet, no guarantee is made that these are the only hazards that exist. Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE SHALL PROVIDE, OR MAKE AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTED TO SWD AT 800-828-1394.



1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: QS 932 B
Product Name: Quik Shield 932 B
Company Name: SWD URETHANE
539 S. Drew St.
Mesa, AZ 85210,
Web site address: www.swdurethane.com
Emergency Contact: CHEMTREC
(800) 424-9300

2. HAZARDS IDENTIFICATION

Acute Toxicity: Oral, Category 4
Skin Corrosion/Irritation, Category 1A-1C
Serious Eye Damage/Eye Irritation, Category 2A
Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: **Danger**

GHS Hazard Phrases: H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.

GHS Precaution Phrases: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 - If eye irritation persists, get medical advice/attention.
P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal Phrases: P405 - Store locked up.

Potential Health Effects (Acute and Chronic):

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May cause respiratory tract irritation. Inhalation of high concentrations may cause narcotic effects.

Skin Contact: May be harmful if absorbed through the skin. Causes skin burns. May cause skin irritation.

Eye Contact: Causes eye burns. May cause eye irritation.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting



and diarrhea. May cause kidney damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	<20.0 %
110-63-4	1,4-Butanediol	<20.0 %
68479-98-1	Diethyl toluene diamine	<20.0 %
8001-79-4	Castor oil {Phorbyol}	< 5.0 %
2855-13-2	Isophoronediamine	< 5.0 %

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

- In Case of Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid.
- In Case of Skin Contact:** Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician. Get medical aid if irritation develops or persists. Flush skin with plenty of soap and water. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
- In Case of Eye Contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital. Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. If irritation develops, get medical aid.
- In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid.
- Signs and Symptoms Of Exposure:** To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
- Note to Physician:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

- Flash Pt:** No data.
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** No data.
- Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Water or foam may cause frothing. Solid streams of water or high volume water jet may spread fire. Use agent most appropriate to extinguish fire.
- Fire Fighting Instructions:** Wear self contained breathing apparatus for fire fighting if necessary. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
- Flammable Properties and Hazards:** No data available.

No data available.



6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Personal precautions.
Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
Environmental precautions.
Do not let product enter drains.

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Avoid inhalation of vapor or mist.
Normal measures for preventive fire protection. Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep from contact with oxidizing materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No data.	No data.	No data.
110-63-4	1,4-Butanediol	No data.	No data.	No data.
68479-98-1	Diethyl toluene diamine	No data.	No data.	No data.
8001-79-4	Castor oil {Phorbyol}	No data.	No data.	No data.
2855-13-2	Isophoronediamine	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Eye Protection: Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Complete suit protecting against chemicals. Wear appropriate protective clothing to



SAFETY DATA SHEET

Quik Shield 932 B

Engineering Controls (Ventilation etc.):	prevent skin exposure. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid	
Appearance and Odor:	amber. Musty.	
Melting Point:	No data.	
Boiling Point:	No data.	
Flash Pt:	No data.	
Evaporation Rate:	No data.	
Flammability (solid, gas):	No data available.	
Explosive Limits:	LEL: No data.	UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.	
Vapor Density (vs. Air = 1):	No data.	
Specific Gravity (Water = 1):	No data.	
Solubility in Water:	No data.	
Percent Volatile:	No data.	
Autoignition Pt:	No data.	

10. STABILITY AND REACTIVITY

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	No data available. Incompatible materials, ignition sources.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, acids, Reducing agents, Nitric acid, Sulfuric acid, Hydrogen peroxide, Acid anhydrides.
Hazardous Decomposition or Byproducts:	formed under fire conditions. Carbon oxides, nitrogen oxides (NOx), Carbon monoxide, irritating and toxic fumes and gases.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.



11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No information found.
Teratogenicity: No information available. Reproductive Effects: Mutagenicity:
Neurotoxicity: No information available.
Other Studies:

Irritation or Corrosion: Skin - rabbit - Corrosive.
Serious eye damage/eye irritation:
Eyes - rabbit - Severe eye irritation.

Carcinogenicity/Other Information: Carcinogenicity.
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 110-63-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 8001-79-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	n.a.	n.a.	n.a.	n.a.
110-63-4	1,4-Butanediol	n.a.	n.a.	n.a.	n.a.
68479-98-1	Diethyl toluene diamine	n.a.	n.a.	n.a.	n.a.
8001-79-4	Castor oil {Phorbyol}	n.a.	n.a.	n.a.	n.a.
2855-13-2	Isophoronediamine	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information: Environmental: Degradation studies: 98.7% COD, 40 mg COD/g dry inoculum/hr with substance as sole carbon source. Biodegradable. [The Dictionary of Substances and their Effects, 1992]

Persistence and Degradability: Biodegradability:

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Product.
Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging.
Dispose of as unused product. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
RCRA P-Series: None listed.
RCRA U-Series: None listed.



14. TRANSPORT INFORMATION

GHS Classification: Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed
Skin Corrosion/Irritation, Category 1A-1C - Danger! Causes severe skin burns and eye damage
Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation
Specific Target Organ Toxicity (single exposure), Category 3 - Warning! May cause respiratory irritation, or may cause drowsiness and dizziness

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.
DOT Hazard Class:
UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.
UN Number:
Hazard Class: **TDG Classification:**

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No	No	No
110-63-4	1,4-Butanediol	No	No	No
68479-98-1	Diethyl toluene diamine	No	No	No
8001-79-4	Castor oil {Phorbyol}	No	No	No
2855-13-2	Isophoronediamine	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
110-63-4	1,4-Butanediol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
68479-98-1	Diethyl toluene diamine	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
8001-79-4	Castor oil {Phorbyol}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
2855-13-2	Isophoronediamine	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS:



SAFETY DATA SHEET

Quik Shield 932 B

Yes - 1067; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	Canadian DSL: Yes; Canadian NDSL: No
110-63-4	1,4-Butanediol	Canadian DSL: Yes; Canadian NDSL: No
68479-98-1	Diethyl toluene diamine	Canadian DSL: Yes; Canadian NDSL: No
8001-79-4	Castor oil {Phorbyol}	Canadian DSL: Yes; Canadian NDSL: No
2855-13-2	Isophoronediamine	Canadian DSL: Yes; Canadian NDSL: No

16. OTHER INFORMATION

Revision Date: 05/19/2015

Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose.

The product may present hazards and should be used with caution. While certain hazards are described in this Safety Data Sheet, no guarantee is made that these are the only hazards that exist. Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE SHALL PROVIDE, OR MAKE AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTED TO SWD AT 800-828-1394.